

eDelivery:

EMCS ChRIS and LTS Message Catalogue

**Capgemini UK plc
Matheson House
Grange Central
Telford
Shropshire
TF3 4ER**

Contents

1. Introduction	3
2. System Overview	4
3. EMCS Message Repository Overview	5
4. System Messages	6
5. EMCS Core Messages	12
APPENDICES	15
Appendix A: Sample Submission Receipt for Report of Receipt	16
Appendix B: Sample Submission Receipt for Explain Delay to Delivery	18
Appendix C: IE704 for IE837	20
Appendix D: IE704 for IE818	20
Appendix E: Movement	21
Appendix F: Movement with Multiple Versions	22
Appendix G: Messages – More messages available to download	23
Appendix H: Movement Not Found	24
Appendix I: Messages – No more messages available to download	24

Disclaimer

© Inland Revenue 2007. HM Revenue & Customs acknowledges that this document contains copyrighted and proprietary material owned by Capgemini UK plc. All rights reserved. Capgemini and the Capgemini logo are trademarks of Capgemini SA.

1. Introduction

The purpose of this Message Catalogue is to represent the message responses sent to the Third Party Software from ChRIS and LTS.

This catalogue only covers the messages identified as being impacted by the work package 93AV-EMCS.

The document provides a table detailing all the attributes associated with the message. The Message Requirement attributes displayed in the tables are explained below: -


Column	Description
Message Code	Unique identifier to indicate nature of the error or success status of the message. It is possible to have no message code associated with a message.
Message Name	It is the name assigned to the message. This name is used to refer to the message in the use cases.
Condition(s) to display the message	The rule(s) that trigger the message.
Message Type in LTS / ChRIS	Type of the message for LTS or ChRIS. Static Messages are used for LTS only. Static Message indicates that messages are stored in the text file and used as response. System Messages are used for LTS and ChRIS. System messages are generated by the application.
Message Text / Structure	This refers to the XML structure for the message or XSD used for the message. In the XML messages text for the message has been underlined. Each XML Message will have following envelope: <?xml version="1.0" encoding="utf-8"?> <soapenv:Envelope xmlns:soapenv="http://www.w3.org/2003/05/soap-envelope"> <soapenv:Body> <i>Message included in the column goes here</i> </soapenv:Body> </soapenv:Envelope>

2. System Overview

Trader submits their messages to the TFE. TFE interacts with Government Gateway to authenticate and authorise the trader. On successful authentication and authorisation TFE performs schema validation and business rule validation on the message, on success TFE forwards the message to the Core. EMCS Core responds back as per the request.


Trader can submit following type of messages:

1. Form Submissions
2. Request to download events



3. EMCS Message Repository Overview

Following diagram provides an overview for the EMCS ChRIS and LTS Messages:



RIM Messages: RIM Messages are contained in the RIM artefacts delivered by Decisionsoft. RIM (Rule and Interface Management) Artefact contains the error messages related to schema and business rule validation for submissions to the TFE.

TFE System Messages: TFE System Messages are contained in the ChRIS and LTS Message Catalogue. TFE System Messages consists of error messages and submission receipts.

EMCS Core Messages: EMCS Core Messages are contained in the ChRIS and LTS Message Catalogue. EMCS Core Messages are the TFE response to the traders that originated at Core. TFE can either transform the message or forward the message as it received it from Core.

LTS Only Messages: LTS Messages are contained in the LTS use case (93AV_UCS541_LTS_Validator). LTS Messages relate to the error messages occurring only in the LTS.

4. System Messages

Message				
8901	Government Gateway Authentication And Authorisation Error Message	<ol style="list-style-type: none"> 1. Credential id included in the submitted message fails to authenticated at Government Gateway 2. Credential id included in the submitted message not enrolled to use EMCS service at Government Gateway 3. Trader Excise Number included in the submitted message does not match with the Trader Excise Number retrieved from Government Gateway 	<p>LTS: Static Message</p> <p>ChRIS: System Message</p>	<p>ChRIS & LTS Message:</p> <pre>- <ErrorResponse xmlns="http://www.govtalk.gov.uk/CM/errorresponse" SchemaVersion="2.0"> - <Application> <MessageCount>1</MessageCount> </Application> - <Error> <RaisedBy>ChRIS</RaisedBy> <Number>8901</Number> <Type>business</Type> <Text><u>Your authentication details are invalid.</u></Text> <Location>Credentials</Location> </Error> </ErrorResponse></pre>

Message Code	Message Name	Condition(s) to display the message	Message Type in LTS / ChRIS	Message Text / Structure
2021	IRMark / HMRC Mark Validation Failure Message	Submitted Message fails IRMark / HMRC Mark Validation	LTS: System Message ChRIS: System Message	ChRIS & LTS Message: - <ErrorResponse xmlns="http://www.govtalk.gov.uk/CM/errorresponse" SchemaVersion="2.0"> - <Application> <MessageCount>1</MessageCount> </Application> - <Error> <RaisedBy>ChRIS</RaisedBy> <Number>2021</Number> <Type>business</Type> <Text>The supplied HMRCmark is incorrect.</Text> <Location>HMRCmark</Location> </Error> - </ErrorResponse>

Message Code	Message Name	Condition(s) to display the message	Message Type in LTS / ChRIS	Message Text / Structure
2022	IRMark / HMRC Mark Missing	Submitted Message fails IRMark / HMRC Mark Validation	LTS: System Message ChRIS: System Message	ChRIS & LTS Message: - <ErrorResponse xmlns="http://www.govtalk.gov.uk/CM/errorresponse" SchemaVersion="2.0"> - <Application> <MessageCount>1</MessageCount> </Application> - <Error> <RaisedBy>ChRIS</RaisedBy> <Number>2022</Number> <Type>business</Type> <Text>HMRCmark not found.</Text> <Location>HMRCmark</Location> </Error> </ErrorResponse>
077001	Submission Receipt for Report of Receipt	Message received for EMCS Report of Receipt passes all validations	LTS: System Message ChRIS: System Message	ChRIS & LTS Message: Message is included in Appendix A

Message Code	Message Name	Condition(s) to display the message	Message Type in LTS / ChRIS	Message Text / Structure
077001	Submission Receipt for Explain Delay to Delivery	Message received for EMCS Explain Delay to Delivery passes all validations	LTS: System Message ChRIS: System Message	ChRIS & LTS Message: Message is included in Appendix B
077001	Submission Receipt for Message Download Acknowledgement	Message received to acknowledge successful download of requested messages passes all validations	LTS: System Message ChRIS: System Message	ChRIS & LTS Message: - <SuccessResponse xmlns="http://www.inlandrevenue.gov.uk/SuccessResponse"> <Message code="077001">Thank you for your acknowledgement</Message> <AcceptedTime>2008-10-02T14:45:35.045</AcceptedTime> </SuccessResponse>

Message Code	Message Name	Condition(s) to display the message	Message Type in LTS / ChRIS	Message Text / Structure
8998	Unrecognised EMCS Submission	<p>Message submitted has incorrect message class. This covers following scenarios:</p> <ol style="list-style-type: none"> 1. Message class does not exist 2. Message class exists but it does not match with the content of the message 	<p>LTS: System Message</p> <p>ChRIS: System Message</p>	<p>ChRIS & LTS Message:</p> <pre><?xml version="1.0" encoding="UTF-8" ?> - <ErrorResponse xmlns="http://www.govtalk.gov.uk/CM/errorresponse" SchemaVersion="2.0"> - <Application> <MessageCount>1</MessageCount> </Application> - <Error> <RaisedBy>ChRIS</RaisedBy> <Number>8998</Number> <Type>business</Type> <Text>Please check that the correct 'Message Type' has been specified in your xml file and that your submission contains no invalid characters.</Text> <Location>/Envelope/Header/Info/ServiceMessageTy pe</Location> </Error> </ErrorResponse></pre>

Message Code	Message Name	Condition(s) to display the message	Message Type in LTS / ChRIS	Message Text / Structure
8999	System Unavailable Message	<p>EMCS Core is down and it is not possible to process requested action.</p> <p>Request to download events require EMCS Core to process the requested action.</p> <p>Form submissions like Report of Receipt and Explain Delay to Delivery do not require EMCS Core for accepting the message from the Third Party Software.</p>	<p>LTS: Not Applicable</p> <p>ChRIS: System Message</p>	<p>ChRIS Message:</p> <pre><?xml version="1.0" encoding="UTF-8" ?> - <ErrorResponse xmlns="http://www.govtalk.gov.uk/CM/errorresponse" xmlns:gt="http://www.govtalk.gov.uk/CM/core" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> - <Application> <MessageCount>1</MessageCount> </Application> - <Error> <RaisedBy>ChRIS</RaisedBy> <Number>8999</Number> <Type>business</Type> <Text>System is currently unavailable. Please try again later.</Text> <Location>System</Location> </Error> </ErrorResponse></pre>

5. EMCS Core Messages

Message				
Not required	Movement Not Found	<ol style="list-style-type: none"> ARC Reference included in the submitted message does not exist. Trader Authenticated but not authorised in Core to download the movement 	LTS: Static Message ChRIS: From Core	For ChRIS XSD: MovementForTraderData LTS message included in Appendix H.
Not required	Movement Message	Movement Found for the requested ARC	LTS: Static Message ChRIS: From Core	For ChRIS XSD: MovementForTraderData LTS message included in Appendix E.
Not required	Movement With Multiple Version(s)	Movement Found for the requested ARC	LTS: Static Message ChRIS: From Core	For ChRIS XSD: MovementForTraderData LTS message included in Appendix F.

Message Code	Message Name	Condition(s) to display the message	Message Type in LTS / ChRIS	Message Text / Structure
Not required	No Message To Download For The Trader	No message(s) found for the trader	LTS: Static Message ChRIS: From Core	For ChRIS XSD: NewMessagesData - <NewMessagesDataResponse xmlns="http://hmrc/emcs/tfe/new_messages_data" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <Messages /> <CountOfMessagesAvailable>0</CountOfMessagesAvailable> </NewMessagesDataResponse>
Not required	EMCS Messages Response Indicating More Messages Are Available	Messages found for the trader. Number of messages available for download is more than the number of messages that can be downloaded for a request. Therefore multiple requests are required to download all the messages.	LTS: Static Message ChRIS: From Core	For ChRIS XSD: NewMessagesData LTS message included in Appendix G.
Not required	EMCS Response Indicating No More Available Messages	Message(s) found for the trader. Number of messages available to download are less than or equal to the number of messages allowed to be downloaded for a request. Therefore only one request is required to download available messages.	LTS: Static Message ChRIS: From Core	For ChRIS XSD: NewMessagesData LTS message included in Appendix I.

Message Code	Message Name	Condition(s) to display the message	Message Type in LTS / ChRIS	Message Text / Structure
Not required	EMCS Messages Response with IE704 for Report of Receipt	Special scenario for download message functionality	LTS: Static Message ChRIS: From Core	For ChRIS XSD: SubmissionFailureMessageData LTS message included in Appendix C.
Not required	EMCS Messages Response with IE704 for Explain Delay to Delivery	Special scenario for download message functionality	LTS: Static Message ChRIS: From Core	XSD: SubmissionFailureMessageData LTS message included in Appendix D.

APPENDICES

Version History

Version			
0.1	11/09/2008	Draft	Kunwar Raghava
0.2	12/09/2008	Updated after internal review	Kunwar Raghava
0.3	15/09/2008	Updated with latest version of messages provided by Dev team.	Kunwar Raghava
0.4	15/09/2008	Document reformatted to align it with eDelivery Model Standards.	Kunwar Raghava
0.5	03/10/2008	Updated with messages from version of LTS that is going live in October'08	Kunwar Raghava
0.6	11/01/2010	Updated Movement not found message (Appendix H) to bring into line with the live service	Adrian Hyde

Appendix A: Sample Submission Receipt for Report of Receipt

Soap envelope included:

- <SuccessResponse xmlns="http://www.inlandrevenue.gov.uk/SuccessResponse">
- <IRmarkReceipt>
- <dsig:Signature xmlns:dsig="http://www.w3.org/2000/09/xmldsig#" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.hmrc.gov.uk/ChRIS/Service/Control">
- <dsig:SignedInfo xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
- <dsig:CanonicalizationMethod Algorithm="http://www.w3.org/TR/2001/REC-xml-c14n-20010315" />

```
<dsig:SignatureMethod Algorithm="http://www.w3.org/2000/09/xmldsig#rsa-sha1" />
- <dsig:Reference>
- <dsig:Transforms>
- <dsig:Transform Algorithm="http://www.w3.org/TR/1999/REC-xpath-19991116">
  <dsig:XPath>count(ancestor-or-self::node())/soap:Envelope/soap:Body=count(ancestor-or-self::node())</dsig:XPath>
</dsig:Transform>
<dsig:Transform Algorithm="http://www.w3.org/TR/2001/REC-xml-c14n-20010315#WithComments" />
</dsig:Transforms>
<dsig:DigestMethod Algorithm="http://www.w3.org/2000/09/xmldsig#sha1" />
<dsig:DigestValue>13ka6/CYUu0il90tlduPBzSCufg=</dsig:DigestValue>
</dsig:Reference>
</dsig:SignedInfo>

<dsig:SignatureValue>ov+vziKsXzCpAHOZskSSp5yJptHB+fFILM8iaV3Agy7W9/xyqQfj98+uiOBqP73mwUzmZ9dyF7OQXlg75X/AgwNUHKGvld7i+L+Xx
lvCDoPm1QwBX+wliaCLXEXC9u2QHTDjz+8sUjyogZDIHJJdvfgEnhrX9kT4Ge9C4TAQRtQ=</dsig:SignatureValue>

- <dsig:KeyInfo>
- <dsig:X509Data>

<dsig:X509Certificate>MIIDKTCCApKgAwIBAgIBAjANBgkqhkiG9w0BAQQFADB1MQswCQYDVQQGEwJVUzERMA8GA1UECBMISWxsaW5vaXMxG
TAXBgNVBAcTEE9ha2Jyb29rIFRlcnJhY2UxEDAoBgNVBAoTB1NhcncZIZ2ExEDAoBgNVBAcTB1N1cHBvcnQxZDASBgNVBAMTC1NhcncZIZ2FEZW1
vMB4XDTA0MTAwNzE2MDYwOFoXDTI5MTAwMTE2MDYwOFoweTELMAkGA1UEBhMCVVMxETAPBgNVBAGTCeIsbGlub2lzMRkwFwYDVQQHEXB
PYWticm9vayBUZXJyYWNIMRAwDgYDVQQKEwdTYXJ2ZWdhMRAwDgYDVQQLEwdTdXBw3J0MRGwFgYDVQQDEw9TYXJ2ZWdhRGVtb0NlcnQ
wgZ8wDQYJKoZIhvcNAQEBBQADgY0AMIGJAoGBAOuak58DVF5XNRJzyvthjWYBn+yQX67cemqa1ZVF460RuwOCODZJHP8KILnrJyZHVuBzIA0yH
GKz5ABjpj/N7/IWxrC4LEH0Tuw1WCqaDTaSV2AtyEs7fgtopit6KM/yMGwqrDSHcuMi++yr5ynhfOS5uWZ9dSYwwmCtLmEauayfAgMBAAGjgcQwgcEw
HQYDVR0OBBYEFH5QwQCCP0EqP0vwyRifonAT46ooMIGfBgNVHSMegZcwgZSAFGU/dbDLz6UwZVm9DPwTghnj4tt6oXmkdzB1MQswCQYDVQQ
GEwJVUzERMA8GA1UECBMISWxsaW5vaXMxGTAXBgNVBAcTEE9ha2Jyb29rIFRlcnJhY2UxEDAoBgNVBAoTB1NhcncZIZ2ExEDAoBgNVBAcTB1N
1cHBvcnQxZDASBgNVBAMTC1NhcncZIZ2FEZW1vvgEAMA0GCsqGS1b3DQEBAUAA4GBAJ7UjONH53zehnwbnmLsr2FtdDSkQL9JFPEctPrjThu8
w+4m/C8u+spUnldPr9P3f5870L3/+EcePsXAc00xx4uqsrCkCD2unpK07ZO0fqmvd2dMQqpcQv5Lm7jQa1HpmRcNwGiQhslp0K+oCxdS2w4jZWt7W//H
0Htg6kRnzD</dsig:X509Certificate>
```

</dsig:X509Data>

</dsig:KeyInfo>

</dsig:Signature>

<Message code="0000">HMRC has received the HMRC-EMCS-IE818-DIRECT document at 14.40 on 02/10/2008. The associated HMRCmark was: 254RV27QTBJO2IUX3UWZLW4PA42IFOPY. We strongly recommend that you keep this receipt electronically, and we advise that you also keep your submission electronically for your records. They are evidence of the information that you submitted to HMRC.</Message>

</IRmarkReceipt>

<Message code="077001">Thank you for your submission</Message>

<AcceptedTime>2008-10-02T14:40:32.040</AcceptedTime>

</SuccessResponse>

Appendix B: Sample Submission Receipt for Explain Delay to Delivery

Soap envelope included:

<?xml version="1.0" encoding="utf-8" ?>

- <soapenv:Envelope xmlns:soapenv="http://www.w3.org/2003/05/soap-envelope">

- <soapenv:Body>

- <SuccessResponse xmlns="http://www.inlandrevenue.gov.uk/SuccessResponse">

- <IRmarkReceipt>

- <dsig:Signature xmlns:dsig="http://www.w3.org/2000/09/xmldsig#" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.hmrc.gov.uk/ChRIS/Service/Control">

- <dsig:SignedInfo xmlns:soap="http://www.w3.org/2003/05/soap-envelope">

<dsig:CanonicalizationMethod Algorithm="http://www.w3.org/TR/2001/REC-xml-c14n-20010315" />

<dsig:SignatureMethod Algorithm="http://www.w3.org/2000/09/xmldsig#rsa-sha1" />

```
- <dsig:Reference>
- <dsig:Transforms>
- <dsig:Transform Algorithm="http://www.w3.org/TR/1999/REC-xpath-19991116">
  <dsig:XPath>count(ancestor-or-self::node())/soap:Envelope/soap:Body)=count(ancestor-or-self::node())</dsig:XPath>
</dsig:Transform>
<dsig:Transform Algorithm="http://www.w3.org/TR/2001/REC-xml-c14n-20010315#WithComments" />
</dsig:Transforms>
<dsig:DigestMethod Algorithm="http://www.w3.org/2000/09/xmldsig#sha1" />
<dsig:DigestValue>Eh4MXE7bGNcRrin3zp1o9jVt+b0=</dsig:DigestValue>
</dsig:Reference>
</dsig:SignedInfo>

<dsig:SignatureValue>ov+vziKsXzCpAHOZskSSp5yJptHB+fFiM8iaV3Agy7W9/xyqQfj98+uiOBqP73mwUzmZ9dyF7OQXlg75X/AgwNUHKGvld7i+L+Xxlv
CDoPm1QwBX+wliaCLXEXC9u2QHTDjz+8sUjyogZDIHJJdvfgEnhrX9kT4Ge9C4TAQRtQ=</dsig:SignatureValue>

- <dsig:KeyInfo>
- <dsig:X509Data>

<dsig:X509Certificate>MIIDKTCcApKgAwIBAgIBAJANBgkqhkiG9w0BAQQFADB1MQswCQYDVQQGEwJVUzERMA8GA1UECBMISWxsaW5vaXMxGTA
XBgNVBAcTEEE9ha2Jyb29rIFRlcnJhY2UxEDAOBgNVBAoTB1NhcncZIZ2ExEDAObgNVBAAsTB1N1cHBvcnQxFDASBgNVBAMTC1NhcncZIZ2FEZW1vMB4
XDTA0MTAwNzE2MDYwOFoXDTI5MTAwMTE2MDYwOFoweTELMAkGA1UEBhMCVVMxETAPBgNVBAGTCElscGlub2lzMRkwFwYDVQQHEXBPYWtic
m9vayBUZXJyYWNIMRAwDgYDVQQKEwdTYXJ2ZWdhMRAwDgYDVQQLEwdTdXBwb3J0MRgwFgYDVQQDEw9TYXJ2ZWdhRGVtb0NlcnQwgZ8wDQ
YJKoZIhvcNAQEBBQADgY0AMIGJAoGBAOUak58DVF5XNRJzyvthjWYBn+yQX67cemqa1ZVF460RuwOCODZJHP8KILnrJyZHVuBzIA0yHGKz5ABjpi/N7
/IIWxrC4LEH0Tuw1WCqaDTaSV2AtyEs7fgtopit6KM/yMGwqrDSHcuMi++yr5ynhfOS5uWZ9dSYwwwCtLmEauayfAgMBAAGjgcQwgcEwHQYDVR0OBBYE
FH5QwQCCP0EqP0vwyRifonAT46ooMIGfBgNVHSMegZcwgZSAFGU/dbDLz6UwZVm9DPwTghnj4tt6oXmkdzB1MQswCQYDVQQGEwJVUzERMA8GA1
UECBMISWxsaW5vaXMxGTAXBgNVBAcTEEE9ha2Jyb29rIFRlcnJhY2UxEDAOBgNVBAoTB1NhcncZIZ2ExEDAObgNVBAAsTB1N1cHBvcnQxFDASBgNVB
AMTC1NhcncZIZ2FEZW1vvggEAMA0GCSqGSIb3DQEBAUAA4GBAJ7UjONH53zehnwbnNmLsr2FtdDSKQL9JFPEctPrjThu8w+4m/C8u+spUnldPr9P3f587
0L3/+EcePsXAc00xx4uqsrCkCD2unpKO7ZO0fqmvd2dMQqpcQv5Lm7jQa1HpmRcNwGiQhslp0K+oCxls2w4jZWt7W//H0Htg6kRnzD</dsig:X509Certificat
e>

</dsig:X509Data>
```

</dsig:KeyInfo>

</dsig:Signature>

<Message code="0000">HMRC has received the HMRC-EMCS-IE837-DIRECT document at 14.43 on 02/10/2008. The associated HMRCmark was: CIPAYXCO3MMNOENOFH345HLI6Y2W36N5. We strongly recommend that you keep this receipt electronically, and we advise that you also keep your submission electronically for your records. They are evidence of the information that you submitted to HMRC.</Message>

</IRmarkReceipt>

<Message code="077001">Thank you for your submission</Message>

<AcceptedTime>2008-10-02T14:43:28.043</AcceptedTime>

</SuccessResponse>

</soapenv:Body>

</soapenv:Envelope>

Appendix C: IE704 for IE837

Soap envelope not included:



Message-IE704forIE
837.xml

Appendix D: IE704 for IE818

Soap envelope not included:



Message-IE704forIE
818.xml

Appendix E: Movement

Soap envelope not included:

```
- <MovementForTraderDataResponse xmlns="http://hmrc/emcs/tfe/movement_for_trader_data" xmlns:ie="http://emcs.dgtaxud.ec/v10/cd934/ie"
xmlns:tms="http://emcs.dgtaxud.ec/v10/tms" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
- <ie:CD934A>
- <ie:Header>
  <tms:MessageSender>token</tms:MessageSender>
  <tms:MessageRecipient>token</tms:MessageRecipient>
  <tms:DateOfPreparation>1967-08-13</tms:DateOfPreparation>
  <tms:TimeOfPreparation>14:20:00</tms:TimeOfPreparation>
  <tms:MessageIdentifier>token</tms:MessageIdentifier>
  <tms:CorrelationIdentifier>token</tms:CorrelationIdentifier>
</ie:Header>
- <ie:Body>
- <ie:MessagePackage>
- <ie:MessageBody>
  <ie:TechnicalMessageType>CD801</ie:TechnicalMessageType>
  <ie:MessageData>UjBsR09EbGhjZ0dTRUxNQUFBUUNBRU1tQ1p0dU1GUXhEUzhi</ie:MessageData>
```

```
</ie:MessageBody>  
</ie:MessagePackage>  
</ie:Body>  
</ie:CD934A>  
</MovementForTraderDataResponse>
```

Appendix F: Movement with Multiple Versions

Soap envelope not included:

```
- <MovementForTraderDataResponse xmlns="http://hmrc/emcs/tfe/movement_for_trader_data" xmlns:ie="http://emcs.dgtaxud.ec/v10/cd934/ie"  
xmlns:tms="http://emcs.dgtaxud.ec/v10/tms" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">  
- <ie:CD934A>  
- <ie:Header>  
  <tms:MessageSender>token</tms:MessageSender>  
  <tms:MessageRecipient>token</tms:MessageRecipient>  
  <tms:DateOfPreparation>1967-08-13</tms:DateOfPreparation>  
  <tms:TimeOfPreparation>14:20:00</tms:TimeOfPreparation>  
  <tms:MessageIdentifier>token</tms:MessageIdentifier>  
  <tms:CorrelationIdentifier>token</tms:CorrelationIdentifier>  
</ie:Header>  
- <ie:Body>  
- <ie:MessagePackage>  
- <ie:MessageBody>  
  <ie:TechnicalMessageType>CD801</ie:TechnicalMessageType>
```

```
<ie:MessageData>UjBsR09EbGhjZ0dTQUxNQUFBUUNBRU1tQ1p0dU1GUXhEUzhi</ie:MessageData>
</ie:MessageBody>
- <ie:MessageBody>
  <ie:TechnicalMessageType>CD801</ie:TechnicalMessageType>
  <ie:MessageData>UjBsR09EbGhjZ0dTQUxNQUFBUUNBRU1tQ1p0dU1GUXhEUzhi</ie:MessageData>
  </ie:MessageBody>
</ie:MessagePackage>
</ie:Body>
</ie:CD934A>
</MovementForTraderDataResponse>
```

Appendix G: Messages – More messages available to download

Soap envelope not included:



Messages-moremess
ageavailable.xml

Appendix H: Movement Not Found

Soap envelope not included:

<Application>

</Application>

</Error>

Appendix I: Messages – No more messages available to download

Soap envelope not included:



Messages-nomoreme
ssageavailable.xml